


# PRIMA



## CERAMIC BLADE

### THE FLECTROSURGICAL SCALPEL

The ceramic blade is made up of a fine tungsten filament integrated into a non conductive ceramic core. The design of the ceramic blade allows for the generation of a focused and precise spark plasma at very low power settings, making fast and clean tissue dissection with a minimisation of any thermal injury to the surrounding tissue possible.

#### FIRST CHOICE FOR PLASTIC SURGEONS



The ceramic blade enables fast, precise, and coagulative cutting through dense breast tissue during mastectomy's and reduction mammoplasty's



Rapid elevation of the abdominal flap and reduction or elimination of seroma during abdominoplasty



Necrotic zone is minimised to help prevent circulation issues in skin flaps



Minimises thermal tissue injury whilst easily dissecting fat tissue at low power settings



Nonstick™ electrodes are coated with high-quality polytetrafluoroethylene (PTFE) and designed to focus the energy on the target tissue, making surgical time more productive.

#### **ADVANTAGES**

1) Focussed electrosurgery

Superior cutting and coagulation performance

2) Radical reduction of eschar build-up

No scratch pad required Less surgical interruptions

3) Use of lower power settings

Minimal peripheral damage Improved healing and scarring

4) Compatible with all 2.4mm standard handpieces


#### 2 CONNECTIONS:





NON HEX-LOCK

**MULTIPLE CONFIGURATIONS AND LENGTHS** 




#### ► LAPOROSCOPIC


For faster, cleaner and safer coagulation, transection and dissection.

#### **ADVANTAGES**

- Reduced eschar and tissue build up on tip
- Reduces the frequency with which the electrode must be removed from the trocar for cleaning.
- Optimal visualisation on camera system.
- Robust insulation to prevent peripheral burns.
- Focussed geometry, enabling efficient performance at low power settings.

#### Available in 4 options:






## COLPOSCOPY LOOP

Designed for LLETZ / LEEP procedures, Prima Electrodes offer optimal cutting & conization performance.

Due to the use of a fine tungsten filament, they are able to achieve extremely high power density at low settings, reducing tissue drag and minimising peripheral scarring.





#### **ELECTRODES**

		LENGTH mm S									<b>舒</b>						
COTSWOLD NEEDLE ®	200	180	165	152	150	130	110	100	75	70	65	64	55	50	40	30	QTY
10 mm, Straight Tip		PMS1610			PMS1611	PMS1612		PMS1613	PMS1656		PMS1602	PMS1602	PMS1654			PMS1650	10
20 mm, Straight Tip															PMS1614	PMS1651	10
5 mm, 45° Angled Tip						PMS1697		PMS1696	PMS1695				PMS1694		PMS1693	PMS1692	10
10 mm, 45° Angled Tip								PMS1623	PMS1605		PMS1603	PMS1603	PMS1655		PMS1631	PMS1653	10
10 mm, 90° Angled Tip													PMS1662		PMS1661	PMS1660	10
CERAMIC BLADE ®	• • • • •	• • • • •	• • • • •	• • • • •	• • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • •	• • •
Ceramic Blade										PMS3951				PMS3950			10
Ceramic blade										111000001				11100000			
NONSTICK BLADE ®																	
Non-shielded Tip			PMS2929			PMS2927		PMS2925		PMS2921		PMS2920					10
Non-shielded Tip, Hex-Lock			PMS2929A			PMS2927A		PMS2925A		PMS2921A		PMS2920A					10
Shielded Tip			PMS2923			PMS2928		PMS2926		PMS2951		PMS2950					10
Shielded Tip, Hex-Lock			PMS2933A			PMS2928A		PMS2926A		PMS2951A		PMS2950A					10
NONSTICK NEEDLE ®	••••	• • • • •	• • • • •	• • • • •	• • • •	• • • • •	• • • • •	• • • • •	• • • • •	••••	••••	••••	••••	• • • • •	• • • • •	• • • •	• • •
Non-shielded Tip	PMS2931			PMS2934				PMS2945		PMS2922							10
Non-shielded Tip, Hex-Lock				PMS2934A				PMS2945A		PMS2922A							10
Shielded Tip				PMS2935				PMS2946		PMS2972							10
Shielded Tip, Hex-Lock				PMS2935A				PMS2946A		PMS2972A							10
• • • • • • • • • • • • • • • • • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • • •	• • • •	• • • • •	• • • • •	• • • • •	• • •
NONSTICK BLUNT NEEDLE ®																	
Non-Shielded Tip										PMS2910							10
Non-Shielded Tip, Hex-Lock										PMS2910A							10
Shielded Tip										PMS2911							10
Shielded Tip, Hex-Lock										PMS2911A							10
NONSTICK BALL®																	
3 mm Ø						PMS2908L	PMS2908										10
4 mm Ø						PMS2907L	PMS2907							PMS2905			10
5 mm Ø						PMS2906L	PMS2906			PMS2909							10
STAINLESS STEEL BALL ®																	
3 mm Ø														PMS3410			25
5 mm Ø														PMS3435			25
•••		••••	• • • •		• • • •	••••	••••	• • • •			• • • •	• • • •	• • • •	••••		• • • •	

		HP		9
NONSTICK LAPAROSCOPIC ®	L-WIRE	L-HOOK	SPATULA	QTY
Length 330 mm, With 4 mm Banana Plug For Std Monopolar Cable Length 450 mm, With 4 mm Banana Plug For Std Monopolar Cable Length 330 mm, With 2.4 mm Connector For Pencil Length 450 mm, With 2.4 mm Connector For Pencil Length 330 mm, With Hand-Activated Pencil Length 450 mm, With Mand-Activated Pencil Length 450 mm, With Monopolar Cable 8 mm Plug Length 450 mm, With Monopolar Cable 8 mm Plug	LES104 LEL104 LES104X LEL104X LES104HC LEL104HC LES104FC LEL104FC	LES204 LEL.204 LES204X LEL.204X LES204HC LEL.204HC LES204FC LEL.204FC	LES184	10 10 10 10 10 10 10

	LENGTH MM						
COLPOSCOPY LOOP ®	130	120	70	QTY			
Round, 10 mm x 10 mm	PMS1742		PMS1742S	10			
Round, 15 mm x 8 mm	PMS1746		PMS1746S	10			
Round, 15 mm x 12 mm	PMS1747		PMS1747S	10			
Round, 15 mm x 15 mm	PMS1743		PMS1743S	10			
Round, 20 mm x 10 mm	PMS1748		PMS1748S	10			
Round, 20 mm x 12 mm	PMS1751		PMS1751S	10			
Round, 20 mm x 15 mm	PMS1745		PMS1745S	10			
Round, 20 mm x 20 mm	PMS1744		PMS1744S	10			
Square, 10 mm x 8 mm	PMS1732		PMS1732S	10			
Ball, 3 mm Ø		PMS1761		10			
Ball, 5 mm Ø		PMS1762		10			

1. Modi M., et al. A Comparative Study of Colorado Micro Dissection Needle Versus Scalpel in Maxillofacial Surgery. SJO. 2021; SchJ Oto 6(1)

2. Chandra, et al. Comparing the out comes of incisions made by colorado microdissection needle, electrosurgery tip, and surgical blade during periodontal surgery: A randomized controlled trial. Journal of Indian Soc. of Period. 2017; 20. 10.4003/jisp.jisp\_27\_17.

3. Perkins J., et al. Microdissection Needle Tonsillectomy and Postoperative Pain: A Pilot Study. Arch Otolaryngol Head Neck Surg. 2003;129 (12):1285–1288

This document is intended solely for the use of healthcare professionals according to his/her own professional clinical judgment. The information presented is only intended to demonstrate Prima's products, not to recommend a particular technique or procedure.

Products may not be available in all markets due to regulatory or commercial reasons.

No part of this document can be photocopied, reproduced or translated into any other languages without written consent.

Prima logo and products, are registered trademarks of Prima Medical Ltd. All other trademarks are trademarks of their respective owners or holders. The absence of a product, feature, or service name, or logo from this list does not constitute a waiver of Prima's trademark or other intellectual property rights concerning that name or logo. All rights reserved.



Prima Medical Limited The Counting House, Bond's Mill Estate, Stonehouse, GL10 3RF,UK

P: +44 (0) 1453 707671 (ext2) M: +44 (0) 7539 662635

info@prima-medical.com www.prima-medical.com